
Appr



REQUEST FOR ACCESS TO AN ABANDONED APPLICATION UNDER 37 CFR 1.14

3 1

	1) In re A	pplication of				
- - u		ppilication of				
Bring completed form to:	Applies	ation Number Filed				
File Information Unit		8/049/47 4/19/93				
Crystal Plaza Three, Room 1D01 2021 South Clark Place		0/049/9/11/1/19/12				
Arlington, VA	21	· ¬ /				
Telephone: (703) 308-2733	***	Paper No. 2/				
I hereby request access under 37 CFR 1.14(a)(1)(iv) to the application file record of the above-identified ABANDONED application, which is identified in, or to which a benefit is claimed, in the following document (as shown in the						
application, which is identified in, or to which a benefittachment):	ht is claimed, in the	e following document (as shown in the				
•	ニクリスかつ					
United States Patent Application Publication No	o. <u>58450/3</u>	>page, line,				
United States Patent Number	, column	, line, or				
WIPO Pub. No, page	line					
Related Information about Access to P						
Direct access to pending applications is not av						
copies may be available and may be purchased f appropriate fee (37 CFR 1.19(b)), as follows:	rom the Office of Pul	blic Records upon payment of the				
For published applications that are still pending,	a member of the pub	olic may obtain a copy of:				
the file contents;		,				
the pending application as originally filed; or						
any document in the file of the pending application.						
	For unpublished applications that are still pending: (1) If the benefit of the pending application is claimed under 35 U.S.C. 119(e), 120, 121, or 365 in another					
application that has: (a) issued as a U.S. patent, or (b) published as a statutory invention registration, a						
U.S. patent application publication, or an int						
PCT Article 21(2), a member of the public m the file contents;	ay obtain a copy of:	•				
the pending application as originally fi	led; or					
any document in the file of the pendin	g application.					
(2) If the application is incorporated by reference						
registration, a U.S. patent application publication, or an international patent application publication in accordance with PCT Article 21(2), a member of the public may obtain a copy of:						
the pending application as originally filed.						
Wuleno tones	,	12-14-05				
Signature		Date				
DALLARD SPALES						
Typed or printed name		FOR PTO USE ONLY				
Typod of plinted name						
Posistration Number if applicable		Approved by				
Registration Number, if applicable		(fnitials) / =1)				
703 4/8 0330		Unit:				
Telephone Number						
This collection of information is required by 37 CFR 1.14. The information	is required to obtain or re	etain a benefit by the public which is to file (and by the USPTO				

to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. BRING TO: File Information Unit, Crystal Plaza Three, Room 1001, 2021 South Clark Place, Arlington, VA.

FTO/SS/88 (07-06)

Approved for use through 7/31/2001 GMS (661-003)

U.S. Patant and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Pacetwork Reduction Art of 1995, no persons are required to reasond to a collection of information unless it disclavs a valid CMS control number.				
REQUEST FOR ACCESS TO AN ABANDONED APPLICATION UNDER 37 CFR 1.14				
Aring completed form to: File Information Unit Crystal Plaza Three, Room 1001 2021 South Clark Place Arlington, VA Telephone: (703) 308-2733 I hereby request access under 37 CFF application, which is identified in, or ta	on Publication No.	etion file record of the d, in the following doc	line	
United States Patent Number 6547, 780, column, līne, or WIPO Pub. No, page, line				
WIPO Pub. No	, Dage, mix	·		
Related Information about Access to Pending Applications (37 CFR 1.14): Direct access to pending applications is not available to the public but copies may be available and may be purchased from the Office of Public Records upon payment of the appropriate fee (37 CFR 1.19(b)), as follows: purchased from the Office of Public Records upon payment of the appropriate fee (37 CFR 1.19(b)), as follows: For unblished applications that are still bending, a member of the public may obtain a copy of: the file contents; the pending application as originally filed; or any document in the file of the pending application. For unpublished applications that are still bending. (1) If the benefit of the pending application is claimed under 35 U.S.C. 119(e), 120, 121, or 365 in another application that has: (a) issued as a U.S. patent, or (b) published as a statutory invention registration, a U.S. patent application publication publication publication publication in accordance with PCT Article 21(2), a member of the public may obtain a copy of: the dile contents; the pending application application publication publication publication in accordance with PCT Article 21(2), a member of the public may obtain a copy of: the pending application as originally filed.				
Signature Signature Typed or printed name Registration Number, if appropriate to the state of	Ce y plicable	Date Approved UniFile	information Unit	



(12) United States Patent

Sinofsky

(10) Patent No.:

US 6,547,780 B1

(45) Date of Patent:

*Apr. 15, 2003

(54) INFRARED LASER CATHETER SYSTEM

(75) Inventor: Edward Lawrence Sinofsky, Reading, MA (US)

(73) Assignee: CardioFocus, Inc., Norton, MA (US)

(*) Notice:

This patent issued on a continued prosecution application filed under 37 CFR 1.53(d), and is subject to the twenty year patent term provisions of 35 U.S.C. 154(a)(2).

Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: 09/201,072

(22) Filed: Nov. 30, 1998

Related U.S. Application Data

(63) Continuation of application No. 08/411,581, filed on Mar. 29, 1995, now Pat. No. 5,843,073, which is a continuation of application No. 08/049,147, filed on Apr. 19, 1993, now abandoned, which-is-a-division of application No. 07/568, 348, filed on Aug. 15, 1990, which is a continuation of application No. 07/257,760, filed on Oct. 14, 1988, now Pat. No. 4,950,266, which is a continuation of application No. 07/014,990, filed on Feb. 17, 1987, now abandoned, which is a continuation of application No. 06/761,188, filed on Jul. 31, 1985, now abandoned.

(51) Int. Cl.⁷ A61B 18/28

(52) **U.S. Cl.** 606/10; 606/3; 606/7; 606/13

(58) Field of Search 606/3, 7, 10-17

(56) References Cited

U.S. PATENT DOCUMENTS

1,751,584 A 3/1930 Hansell

3,327,712 A 6/1967 Kaufman 3,533,707 A 10/1970 Weiss 3,769,963 A 11/1973 Goldman et al. 3,858,577 A 1/1975 Bass et al.

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

EP 0144764 6/1985 EP 0152766 8/1985

(List continued on next page.)

OTHER PUBLICATIONS

Abela, G. et al., "Effects of Carbon Dioxide, Nd-YAG, and Argon Laser Radiation on Coronary Atheromatous Plaques," *The American Journal of Cardiology*, vol. 50, No. 6, 1199–1205 (Dec. 1982).

(List continued on next page.)

Primary Examiner—David M. Shay (74) Attorney, Agent, or Firm—Thomas J. Engellenner; Nutter McClennen & Fish LLP

57) ABSTRACT

Laser energy produced by a laser operating In the midinfrared region (approximately 2 micrometers) Is delivered by an optical fiber in a catheter to a surgical site for biological tissue removal and repair. Disclosed laser sources which have an output wavelength in this region include: Holmium-doped Yttrium Aluminum Garnet (Ho:YAG), Holmium-doped Yttrium Lithium Fluoride (Ho:YLF), Erbium-doped YAG, Erbium-doped YLF and Thuliumdoped YAG. For tissue removal, the lasers are operated with relatively long pulses at energy levels of approximately 1 joule per pulse. For tissue repair, the lasers are operated in a continuous wave mode at low power. Laser output energy is applied to a silica-based optical fiber which has been specially purified to reduce the hydroxyl-ion concentration to a low level. The catheter may be comprised of a single optical fiber or a plurality of optical fibers arranged to give overlapping output patterns for large area coverage.

14 Claims, 6 Drawing Sheets

